

Contents

Volume 58, Number 1, January 2003

Review

- 1 Pathophysiological roles of arginine vasopressin and aquaporin-2 in impaired water excretion: S.-E. ISHIKAWA AND R. W. SCHRIER

Commentary

- 18 Testing for growth hormone deficiency in adults – how to respond?: J. O. L. JØRGENSEN AND J. S. CHRISTIANSEN
20 First-line thyroid function tests – TSH alone is not enough: G. J. BECKETT AND A. D. TOFT

Rapid communication

- 22 Hyperadiponectinaemia in anorexia nervosa: M. L. DELPORTE, S. M. BRICHARD, M. P. HERMANS, C. BEGUIN AND M. LAMBERT

Original Articles

- 30 Effects of oestrogen-only and oestrogen–progestogen replacement therapy upon circulating angiotensin I-converting enzyme activity in postmenopausal women: A. J. PROUDLER, A. COOPER, M. WHITEHEAD AND J. C. STEVENSON
36 Thyroid peroxidase and thyroglobulin autoantibodies in a large survey of populations with mild and moderate iodine deficiency: I. B. PEDERSEN, N. KNUDSEN, T. JØRGENSEN, H. PERRILD, L. OVESEN AND P. LAURBERG
43 Demonstration of human telomerase reverse transcriptase (hTERT) in human parathyroid tumours by *in situ* hybridization with a new oligonucleotide probe: M. KAMMORI, K.-I. NAKAMURA, T. OGAWA, K.-I. MAFUNE, Y. TATUTOMI, T. OBARA, N. ONODA, M. FUJIWARA, N. IZUMIYAMA-SHIMOMURA, M. MORI, M. KAMINISHI AND K. TAKUBO
49 Tibolone lowers high density lipoprotein cholesterol by increasing hepatic lipase activity but does not impair cholesterol efflux: A. VON ECKARDSTEIN, D. CROOK, J. ELBERS, J. RAGOOBIR, B. EZEH, F. HELMOND, N. MILLER, H. DIEPLINGER, H. C. BENNINK AND G. ASSMANN
59 Non-functioning pituitary adenomas with positive immunoreactivity for ACTH behave more aggressively than ACTH immunonegative tumours but do not recur more frequently: K. J. BRADLEY, J. A. H. WASS AND H. E. TURNER

- 65 Comparisons of leptin, incretins and body composition in obese and lean patients with hypopituitarism and healthy individuals: H. MERSEBACH, O. L. SVENDSEN, J. J. HOLST, A. ASTRUP AND U. FELDT-RASMUSSEN
72 Does subclinical hypercortisolism adversely affect the bone mineral density of patients with adrenal incidentalomas?: D. HADJIDAKIS, S. TSAGARAKIS, C. ROBOTI, M. SFAKIANAKIS, V. ICONOMIDOU, S. A. RAPTIS AND N. THALASSINOS
78 Leptin measurement in urine in children and its relationship to other growth peptides in serum and urine: N. ZAMAN, C. M. HALL, M. S. GILL, J. JONES, V. TILLMANN, M. WESTWOOD, A. J. WHATMORE AND P. E. CLAYTON
86 Long-term outcome and mortality after transsphenoidal adenomectomy for acromegaly: C. BEAUREGARD, U. TRUONG, J. HARDY AND O. SERRI
92 Acetylcholine does not play a major role in mediating the endocrine responses to ghrelin, a natural ligand of the GH secretagogue receptor, in humans: F. BROGLIO, C. GOTTERO, A. BENSO, F. PRODAM, F. F. CASANUEVA, C. DIEGUEZ, A. J. VAN DER LELY, R. DEGHENGI, E. ARVAT AND E. GHIGO
99 Recombinant human growth hormone treatment in elderly patients undergoing elective total hip replacement: A. J. WEISSBERGER, A. D. ANASTASIADIS, I. STURGESS, F. C. MARTIN, M. A. SMITH AND P. H. SÖNKSEN

Case report

- 108 A signal peptide mutation of the arginine vasopressin gene in monozygotic twins: W. L. BOSON, J. C. SARUBI, C. B. D'ALVA, E. FRIEDMAN, D. FARIA, L. DE MARCO AND B. WAJCHENBERG

Letter to the Editors

Erratum

Author's Declaration

Volume 58, Number 2, February 2003

Review

- 115 Inhibins and activins: clinical advances in reproductive medicine: S. TONG, E. M. WALLACE AND H. G. BURGER

Commentary

- 128 Radiotherapy in acromegaly: a protagonists viewpoint: J. A. H. WASS

- 132 Radiotherapy in acromegaly: the argument against:
A. L. BARKAN
- 136 Controversy: radiotherapy for acromegaly: M. O. THORNER
- 138 Laboratory Medicine Practice Guidelines: Laboratory Support for the Diagnosis and Monitoring of Thyroid Disease: L. M. DEMERS AND C. A. SPENCER

Original Articles

- 141 Expression of pituitary tumour transforming gene (PTTG) and fibroblast growth factor-2 (FGF-2) in human pituitary adenomas: relationships to clinical tumour behaviour: C. J. MCCABE, J. S. KHAIRA, K. BOELAERT, A. P. HEANEY, L. A. TANNAHILL, S. HUSSAIN, R. MITCHELL, J. OLLIFF, M. C. SHEPPARD, J. A. FRANKLYN AND N. J. L. GITTOES
- 151 Promoter mutations are no major cause of PTTG overexpression in pituitary adenomas: D. KANAKIS, E. KIRCHES, C. MAWRIN AND K. DIETZMANN
- 156 Diagnosis of growth hormone deficiency after pituitary surgery: the combined acipimox/GH-releasing hormone test: P. S. VAN DAM, C. DIEGUEZ, F. CORDIDO, W. R. DE VRIES, B. F. E. VELDHUYZEN, E. VAN THIEL, F. F. CASANUEVA AND H. P. F. KOPPESSCHAAR
- 163 Prolonged high-dose phosphate treatment: a risk factor for tertiary hyperparathyroidism in X-linked hypophosphatemic rickets: O. MÄKITIE, S. W. KOOH AND E. SOCHETT
- 169 Reversal of acromegalic cardiomyopathy in young but not in middle-aged patients after 12 months of treatment with the depot long-acting somatostatin analogue octreotide: A. COLAO, P. MARZULLO, A. CUOCOLO, L. SPINELLI, R. PIVONELLO, D. BONADUCE, M. SALVATORE AND G. LOMBARDI
- 177 Endocrine profiles and semen quality in spinal cord injured men: A. R. NADERI AND M. R. SAFARINEJAD
- 185 Hyperprolactinaemia in hypothyroidism: clinical significance and impact of TSH normalization: W. RABER, A. GESSL, P. NOWOTNY AND H. VIERHAPPER
- 192 Facial disfigurement: is it in the eye of the beholder? A study in patients with Graves' ophthalmopathy: C. B. TERWEE, F. W. DEKKER, G. J. BONSEL, S. H. HEISTERKAMP, M. F. PRUMMEL, L. BALDESCHI AND W. M. WIERSINGA
- 199 Two Italian kindreds with familial hypocalciuric hypercalcaemia caused by loss-of-function mutations in the calcium-sensing receptor (CaR) gene: functional characterization of a novel CaR missense mutation: F. CETANI, E. PARDI, S. BORSARI, M. TONACCHERA, E. MORABITO, A. PINCHERA AND C. MARCOCCI
- 207 Increased serum reverse triiodothyronine levels at diagnosis of hepatocellular carcinoma in patients with compensated HCV-related liver cirrhosis: F. SORVILLO, G. MAZZIOTTI, A. CARBONE, F. MORISCO, M. CIOFFI, M. ROTONDI, G. STORNAIUOLO, G. AMATO, G. B. GAETA, N. CAPORASO AND C. CARELLA
- 213 Interactions between serum leptin, the insulin-like growth factor-I system, and sex, age, anthropometric and body composition variables in a healthy population randomly selected: J. M. GÓMEZ, F. J. MARAVALL, N. GÓMEZ, M. A. NAVARRO, R. CASAMITJANA AND J. SOLER
- 220 Both fasting-induced leptin reduction and GH increase are blunted in Cushing's syndrome and in simple obesity: S. GROTTOLI, C. GAUNA, F. TASSONE, G. AIMARETTI, G. CORNELI, Z. WU, C. J. STRASBURGER, C. DIEGUEZ, F. F. CASANUEVA, E. GHIGO AND M. MACCARIO
- 229 Do growth hormone (GH) serial sampling, insulin-like growth factor-I (IGF-I) or auxological measurements have an advantage over GH stimulation testing in predicting the linear growth response to GH therapy?: A. D. ROGOL, S. L. BLETHEN, J. P. SY AND J. D. VELDHUIS
- 238 The insulin-like growth factor-I generation test: peripheral responsiveness to growth hormone is not decreased with ageing: C. A. LISSETT AND S. M. SHALET

246 Letters to the Editors

Author's Declaration

Volume 58, Number 3, March 2003

Review

- 249 Hormone replacement therapy: current controversies: S. DAVISON AND S. R. DAVIS

Original Articles

- 262 Significant ethnic variation in total and free testosterone concentration: A. H. HEALD, F. IVISON, S. G. ANDERSON, K. CRUICKSHANK, I. LAING AND J. M. GIBSON
- 267 Final height outcome and value of height prediction in boys with constitutional delay in growth and adolescence treated with intramuscular testosterone 125 mg per month for 3 months: B. P. KELLY, W. F. PATERSON AND M. D. C. DONALDSON
- 273 Bone mineral density, biochemical and hormonal profiles in suboptimally treated children and adolescents with β -thalassaemia disease: P. MAHACHOKLERTWATTANA, A. CHUANUMRIT, R. SIRISRIRO, L. CHOUTUM, A. SRIPHRAPRADANG AND R. RAJATANAVIN

- 280 TSH-R expression and cytokine profile in orbital tissue of active vs. inactive Graves' ophthalmopathy patients: I. M. M. J. WAKELKAMP, O. BAKKER, L. BALDESCHI, W. M. WIERSINGA AND M. F. PRUMMEL
- 288 Sandostatin LAR in acromegaly: a 6-week injection interval suppresses GH secretion as effectively as a 4-week interval: N. R. BIERMASZ, N. C. VAN DEN OEVER, M. FRÖLICH, A. M. PEREIRA ARIAS, J. W. A. SMIT, J. A. ROMIJN AND F. ROELFSEMA
- 296 Is inhibin B a potential marker of gonadotoxicity in prepubertal children treated for cancer?: P. M. CROFTON, A. B. THOMSON, A. E. M. EVANS, N. P. GROOME, L. E. BATH, C. J. H. KELNAR AND W. H. B. WALLACE
- 302 Effect of 2 years of cortisol normalization on the impaired bone mass and turnover in adolescent and adult patients with Cushing's disease: a prospective study: C. DI SOMMA, R. PIVONELLO, S. LOCHE, A. FAGGIANO, M. KLAIN, M. SALVATORE, G. LOMBARDI AND A. COLAO
- 309 The effect of growth hormone (GH) replacement therapy in adult patients with type 1 diabetes mellitus and GH deficiency: E. R. CHRIST, H. L. SIMPSON, L. BREEN, P. H. SÖNKSEN, D. L. RUSSELL-JONES AND E. M. KOHNER
- 316 Relationship between plasma insulin and left ventricular mass in normotensive participants of the Gubbio Study: O. VACCARO, O. CARDONI, V. CUOMO, W. PANARELLI, M. LAURENZI, M. MANCINI, G. RICCARDI AND A. ZANCHETTI
- 323 Carriers for type II 3 β -hydroxysteroid dehydrogenase (HSD3B2) deficiency can only be identified by *HSD3B2* genotype study and not by hormone test: S. PANG, G. CARBUNARU, A. HAIDER, K. C. COPELAND, Y. T. CHANG, C. LUTFALLAH AND J. IAN MASON
- 332 The regulation of growth in glycogen storage disease type 1: H. R. MUNDY, P. C. HINDMARSH, D. R. MATTHEWS, J. V. LEONARD AND P. J. LEE
- 340 Thyroid stimulating hormone (TSH) concentrations and menopausal status in women at the mid-life: SWAN: M. SOWERS, J. LUBORSKY, C. PERDUE, K. L. B. ARAUJO, M. B. GOLDMAN AND S. D. HARLOW
- 348 Forearm bone density in primary hyperparathyroidism: long-term follow-up with and without parathyroidectomy: D. S. RAO, E. A. WALLACE, R. F. ANTONELLI, G. B. TALPOS, M. R. ANSARI, G. JACOBSEN, G. W. DIVINE AND A. M. PARFITT
- 355 The outcome in Australian children with hyperinsulinism of infancy: early extensive surgery in severe cases lowers risk of diabetes: M. M. JACK, R. M. GREER, M. J. THOMSETT, R. M. WALKER, J. R. BELL, C. CHOONG, D. M. COWLEY, A. C. HERINGTON AND A. M. COTTERILL
- 365 Effectiveness of alendronate treatment in postmenopausal women with osteoporosis: relationship with Bsm1 vitamin D receptor genotypes: S. PALOMBA, F. G. NUMIS, G. MOSSETTI, D. RENDINA, P. VUOTTO, T. RUSSO, F. ZULLO, C. NAPPI AND V. NUNZIATA
- 372 Fat distribution in non-obese girls with and without precocious pubarche: central adiposity related to insulinaemia and androgenaemia from prepuberty to postmenarche: L. IBÁÑEZ, K. ONG, F. DE ZEGHER, M. V. MARCOS, L. DEL RIO AND D. B. DUNGER
- 380 A relationship between serum ferritin and the insulin resistance syndrome is present in non-diabetic women but not in non-diabetic men: W. H.-H. SHEU, Y.-T. CHEN, W.-J. LEE, C.-W. WANG AND L.-Y. LIN

Author's Declaration

Volume 58, Number 4, April 2003

Review

- 387 Primary medical therapy for acromegaly: M. C. SHEPPARD

Commentary

- 400 Guidelines for the management of thyroid cancer: P. KENDALL-TAYLOR

Original Articles

- 403 Blocking-type anti-TSH receptor antibodies and relation to responsiveness to antithyroid drug therapy and remission in Graves' disease: H. TADA, I. MIZUTA, T. TAKANO, K.-I. TATSUMI, Y. IZUMI, Y. HIDAKA AND N. AMINO
- 409 Two novel mutations in the gene encoding thyroxine-binding globulin (TBG) as a cause of complete TBG deficiency in Taiwan: C.-C. SU, Y.-C. WU, C.-Y. CHIU, J. G.-S. WON AND T.-S. JAP
- 415 Chylomicron remnant metabolism studied with a new breath test in postmenopausal women with and without type 2 diabetes mellitus: C. A. DANE-STEWART, G. F. WATTS, P. H. R. BARRETT, B. G. A. STUCKEY, J. C. L. MAMO, I. J. MARTINS AND T. G. REDGRAVE
- 421 Effects of therapeutic doses of ¹³¹I in thyroid papillary carcinoma patients with elevated thyroglobulin level and negative ¹³¹I whole-body scan: comparative study: J.-M. KOH, E. S. KIM, J. S. RYU, S. J. HONG, W. B. KIM AND Y. K. SHONG
- 428 Effects of low-iodide diet on postsurgical radioiodide ablation therapy in patients with differentiated thyroid carcinoma: M. J. H. M. PLUIJMEN, C. EUSTATIA-RUTTEN, B. M. GOSLINGS, M. P. STOKKEL, A. M. P. ARIAS, M. DIAMANT, J. A. ROMIJN AND J. W. A. SMIT

- 436 Evaluation of two health status measures in adults with growth hormone deficiency: C. V. MCMILLAN, C. BRADLEY, J. GIBNEY, D. L. RUSSELL-JONES AND P. H. SÖNKSEN
- 446 A 3-year prospective study to assess uterine growth in girls with Turner's syndrome by pelvic ultrasound: C. M. MCDONNELL, L. COLEMAN AND M. R. ZACHARIN
- 451 Feasibility of a randomized trial on adjuvant radio-iodine therapy in differentiated thyroid cancer: C. DRAGOIESCU, O. S. HOEKSTRA, D. J. KUIK, P. LIPS, M. A. B. D. PLAIZIER, P. T. R. RODRIGUS, D. A. K. C. J. M. HUIJSMANS, J. G. RIBOT, J. KUIJPENS, J. W. W. COEBERGH AND G. J. J. TEULE
- 456 Re-assessment of growth hormone secretion in young adult patients with childhood-onset growth hormone deficiency: J. DONAUBAUER, W. KIESS, J. KRATZSCH, T. NOWAK, H. STEINKAMP, H. WILLGERODT, E. KELLER
- 464 GH-secreting pituitary adenomas infrequently contain inactivating mutations of PRKAR1A and LOH of 17q23-24: H. YAMASAKI, N. MIZUSAWA, S. NAGAHIRO, S. YAMADA, T. SANO, M. ITAKURA AND K. YOSHIMOTO
- 471 Preoperative lanreotide treatment for GH-secreting pituitary adenomas: effect on tumour volume and predictive factors of significant tumour shrinkage: T. LUCAS, R. ASTORGA, M. CATALÁ
- 482 Gender variation in leptin circadian rhythm and pulsatility in adult growth hormone deficiency: effects of growth hormone replacement: H. D. WHITE, A. M. AHMAD, R. GUZDER, A. M. WALLACE, W. D. FRASER AND J. P. VORA
- 489 Calcitriol regulates the expression of the genes encoding the three key vitamin D₃ hydroxylases and the drug-metabolizing enzyme CYP3A4 in the human fetal intestine: C. THEODOROPOULOS, C. DEMERS, E. DELVIN, D. MÉNARD AND M. GASCON-BARRÉ
- 500 Cortisol and the metabolic syndrome in South Asians: A. M. V. WARD, C. H. D. FALL, C. E. STEIN, K. KUMARAN, S. R. VEENA, P. J. WOOD, H. E. SYDDALL AND D. I. W. PHILLIPS
- 506 Demonstration of progesterone receptor-mediated gonadotrophin suppression in the human male: B. M. BRADY, R. A. ANDERSON, D. KINNIBURGH AND D. T. BAIRD
- 513 Preoperative plasma concentrations of vascular endothelial growth factor and matrix metalloproteinase 9 are associated with stage progression in papillary thyroid cancer: S. Y. LIN, Y. Y. WANG AND W. H.-H. SHEU
- 519 Clinical presentation and outcome of pituitary adenomas in teenagers: S. CANNAVÒ, M. VENTURINO, L. CURTÒ, E. DE MENIS, C. D'ARRIGO, P. TITA, D. BILLECI AND F. TRIMARCHI
- 528 **Letter to the Editors**

Author's Declaration

Instructions for authors

Volume 58, Number 5, May 2003

Review

- 529 The importance of oestrogens in males: W. DE RONDE, H. A. P. POLS, J. P. T. M. VAN LEEUWEN AND F. H. DE JONG

Commentary

- 543 Hazards of dynamic testing of pituitary function: A. LEVY

Original Articles

- 545 Pituitary apoplexy induced by corticotrophin-releasing hormone in a patient with Cushing's disease: P. ROTMAN-PIKIELNY, N. PATRONAS AND D. A. PAPANICOLAOU
- 550 The relationship of psychological factors to the prognosis of hyperthyroidism in antithyroid drug-treated patients with Graves' disease: A. FUKAO, J. TAKAMATSU, Y. MURAKAMI, S. SAKANE, A. MIYAUCHI, K. KUMA, S. HAYASHI AND T. HANAFUSA
- 556 The diagnostic use of the rhTSH/thyroglobulin test in differentiated thyroid cancer patients with persistent disease and low thyroglobulin levels: G. PELLEGRITI, C. SCOLLO, C. REGALBUTO, M. ATTARD, P. MAROZZI, F. VERMIGLIO, M. A. VIOLI, M. CIANCI, R. VIGNERI, V. PEZZINO AND S. SQUATRITO
- 562 Effects of sex steroids on components of the insulin resistance syndrome in transsexual subjects: J. M. H. ELBERS, E. J. GILTAY, T. TEERLINK, P. G. SCHEFFER, H. ASSCHEMAN, J. C. SEIDELL AND L. J. G. GOOREN
- 572 Oral administration of the growth hormone secretagogue NN703 in adult patients with growth hormone deficiency: J. SVENSSON, J. P. MONSON, T. VETTER, T. K. HANSEN, R. SAVINE, P. KANN, M. BEX, M. REINCKE, C. HAGEN, A. BECKERS, M. M. ILONDO, M. ZDRAVKOVIC, B.-Å. BENGTSSON, M. KORBONITS
- 581 Low cholesteryl ester transfer protein (CETP) concentration but normal CETP activity in serum from patients with short-term hypothyroidism Lack of relationship to lipoprotein abnormalities: M. DEDECJUS, D. MASSON, T. GAUTIER, J.-P. P. DE BARROS, P. GAMBERT, A. LEWINSKI, Z. ADAMCZEWSKI, P. MOULIN AND L. LAGROST
- 589 Blood pressure in children and adolescents with congenital adrenal hyperplasia (21-hydroxylase deficiency): a preliminary report: E. F. ROCHE, E. CHARMANDARI, M. T. DATTANI AND P. C. HINDMARSH
- 597 Profile of neurokinin B concentrations in maternal and cord blood in normal pregnancy: R. SAKAMOTO, H. OSADA, Y. IITSUKA, K. MASUDA, K. KAKU, K. SEKI AND S. SEKIYA

- 601 The effect of growth hormone replacement therapy on adrenal androgen secretion in adult onset hypopituitarism: A. M. ISIDORI, G. A. KALTSAS, L. PERRY, J. M. BURRIN, G. M. BESSER AND J. P. MONSON
- 612 Iodine sufficiency and measurements of thyroid function in maternal hypothyroidism: M. L. MITCHELL, R. Z. KLEIN, J. D. SARGENT, R. A. METER, J. E. HADDOW, S. E. WAISBREN AND J. D. FAIX
- 617 Long-term follow-up of bone mineral density in Addison's disease: E. JÓDAR, M. P. R. VALDEPEÑAS, G. MARTINEZ, A. JARA AND F. HAWKINS
- 621 Serum concentrations of remnant-like particles in hypothyroid patients before and after thyroxine replacement: M. ITO, J. TAKAMATSU, T. MATSUO, K. KAMEOKA, S. KUBOTA, S. FUKATA, H. TAMAI, A. MIYAUCHI, K. KUMA AND T. HANAFUSA
- 627 Molecular analysis of 5 α -reductase type 2 gene in eight unrelated Egyptian children with suspected 5 α -reductase deficiency: prevalence of the G34R mutation: I. MAZEN, Y. Z. GAD, M. HAFEZ, C. SULTAN AND S. LUMBROSO
- 632 Androgens improve cavernous vasodilation and response to sildenafil in patients with erectile dysfunction: A. AVERSA, A. M. ISIDORI, G. SPERA, A. LENZI AND A. FABBRI
- 639 Multiple endocrine neoplasia type 1 (MEN1) germline mutations in familial isolated primary hyperparathyroidism: A. A. J. PANNETT, A. M. KENNEDY, J. J. O. TURNER, S. A. FORBES, B. M. CAVACO, J. H. D. BASSETT, L. CIANFEROTTI, B. HARDING, B. SHINE, F. FLINTER, C. G. H. MAIDMENT, R. TREMBATH AND R. V. THAKKER
- 647 Presence of magnetic resonance imaging abnormalities of the hypothalamic-pituitary axis is a significant determinant of the first 3 years growth response to human growth hormone treatment in prepubertal children with nonacquired growth hormone deficiency: D. ZENATY, C. GAREL, C. LIMONI, P. CZERNICHOV AND J. LÉGER
- 653 Growth hormone treatment improves body composition in adults with Prader-Willi syndrome: C. HÖYBYE, A. HILDING, H. JACOBSSON AND M. THORÉN
- 662 Giant prolactinomas in men: efficacy of cabergoline treatment: S. M. CORSELLO, G. UBERTINI, M. ALTOMARE, R. M. LOVICU, M. G. MIGNECO, C. A. ROTA AND C. COLOSIMO
- 671 **Errata**

Author's Declaration

Instructions for authors

Volume 58, Number 6, June 2003

Review

- 673 Pituitary tumour transforming gene in endocrine cancer: C. J. MCCABE AND A. P. HEANEY

Commentary

- 683 Hyperprolactinaemia due to macroprolactins: some progress but still a problem: M. N. FAHIE-WILSON AND J. A. AHLQUIST

Original Articles

- 686 A practical method for the detection of macroprolactinaemia using ultrafiltration: S. PRAZERES, M. A. SANTOS, H. G. FERREIRA AND L. G. SOBRINHO
- 691 Bone mineral density outcomes following long-term treatment with subcutaneous testosterone pellet implants in male hypogonadism: M. R. ZACHARIN, J. PUA AND S. KANUMAKALA
- 696 The correlation between the response to progestogen treatment and the expression of progesterone receptor B and 17 β -hydroxysteroid dehydrogenase type 2 in human endometrial carcinoma: H. UTSUNOMIYA, T. SUZUKI, K. ITO, T. MORIYA, R. KONNO, S. SATO, N. YAEHASHI, K. OKAMURA AND H. SASANO
- 704 The effects of soy protein containing isoflavones on lipids and indices of bone resorption in postmenopausal women: F. S. DALAIS, P. R. EBELING, D. KOTSPOULOS, B. P. MCGRATH AND H. J. TEEDE
- 710 Diurnal rhythms of serum total, free and bioavailable testosterone and of SHBG in middle-aged men compared with those in young men: M. J. DIVER, K. E. IMTIAZ, A. M. AHMAD, J. P. VORA AND W. D. FRASER
- 718 The corticotrophin-releasing hormone test is the most reliable noninvasive method to differentiate pituitary from ectopic ACTH secretion in Cushing's syndrome: G. REIMONDO, P. PACCOTTI, M. MINETTO, A. TERMINE, G. STURA, M. BERGUI, A. ANGELI AND M. TERZOLO
- 725 Bone mineral density in acromegaly: the effect of gender, disease activity and gonadal status: A. SCILLITANI, C. BATTISTA, I. CHIODINI, V. CARNEVALE, S. FUSILLI, E. CICCARELLI, M. TERZOLO, G. OPPIZZI, M. AROSIO, M. GASPERI, G. ARNALDI, A. COLAO, R. BALDELLI, M. R. GHIGGI, D. GAIA, C. D. SOMMA, V. TRISCHITTA AND A. LIUZZI
- 732 CTLA4 gene and Graves' disease: association of Graves' disease with the CTLA4 exon 1 and intron 1 polymorphisms, but not with the promoter polymorphism: B. VAIDYA, E. J. C. OAKES, H. IMRIE, A. J. DICKINSON, P. PERROS, P. KENDALL-TAYLOR AND S. H. S. PEARCE

- 736 Perturbations in adiponectin, leptin and resistin levels in acromegaly: lack of correlation with insulin resistance: J. V. SILHA, M. KRSEK, V. HANA, J. MAREK, J. JEZKOVA, V. WEISS AND L. J. MURPHY
 - 743 Hypothalamic growth hormone-releasing hormone (GHRH) cell number is increased in human illness, but is not reduced in Prader-Willi syndrome or obesity: A. P. GOLDSTONE, U. A. UNMEHOPA AND D. F. SWAAB
 - 756 Hereditary corticosteroid-binding globulin deficiency due to a missense mutation (Asp367Asn, CBG Lyon) in a Brazilian kindred: E. BRUNNER, J. BAIMA, T. C. VIEIRA, J. G. H. VIEIRA AND J. ABUCHAM
 - 753 Postoperative surveillance of clinically nonfunctioning pituitary macroadenomas: markers of tumour quiescence and regrowth: Y. GREENMAN, G. OUAKNINE, I. VESHCHIEV, I. I. REIDER-GROSWASSER, Y. SEGEV AND N. STERN
 - 770 Short-term effects of prednisolone and dexamethasone on circulating concentrations of leptin and sex hormone-binding globulin in children being treated for acute lymphoblastic leukaemia: A. M. WALLACE, P. TUCKER, D. M. WILLIAMS, I. A. HUGHES AND S. F. AHMED
 - 777 The circulating IGF system and its relationship with 24-h glucose regulation and insulin sensitivity in healthy subjects: J. FRYSTYK, B. NYHOLM, C. SKJÆRBÆK, R. C. BAXTER, O. SCHMITZ AND H. ØRSKOV
 - 785 Combined pituitary hormone deficiency in Australian children: clinical and genetic correlates: K. MCLENNAN, Y. JESKE, A. COTTERILL, D. COWLEY, J. PENFOLD, T. JONES, N. HOWARD, M. THOMSETT AND C. CHOONG
-
- 795 **Letters to the Editors**
 - 798 **Book review**
 - 799 **Referees**
 - 801 **Author Index**
 - 810 **Subject Index**
-
- Volume Contents**
- Author's Declaration**
- Instructions for authors**

